








Product Catalogue
Elevator Emergency Phones






RUKRA
EUROPE

Table of contents

RUKRA Elevator Emergency Phone & Fireman intercom PSTN / GSM / VOIP	Page 2
Cabin Panels	Page 3
Accessoires	Page 4 to 8
Electrical / UTP Liftcable	Page 9
Led light	Page 10
Programming tools	Page 11, 12
Spare parts	Page 13 to 18
Hand tools	Page 19
Web-based Call Center	Page 20

Picture	Item no.	Article
	<p>RK-2000</p>	<p>RUKRA Elevator Emergency Phone No power required 5 units on 1 telephone line Industrial mounting tape Double LED's and Microphones Audio & Stuck button test Testcalls by webased callcenter Size: H*W*D = 100*90*21mm</p>
	<p>RK-2001</p>	<p>RUKRA Elevator Emergency Phone Surface mount Including RK-2000 Elevator Phone Pictogramms regarding NEN 81-28 Alarmbutton with braille Alarmbutton with Bell symbol, 2 x N.O. contact, with yellow LED's Size: H*W*D = 220*111*30mm</p>
	<p>RK-2002</p>	<p>RUKRA Fireman intercom Exists of: Hall-panel without keyswitch Speakunit in Cabin Speakunit in Hall (Flush mount) Speakunit in Machineroom All units are 2 wired connected Size: H*W*D = 190*110*27mm</p>
	<p>RK-2003</p>	<p>RUKRA VOIP Elevator Phone POE (Power over Ethernet) Option for Camera Same functions like the RK-2000 Testcalls by webased callcenter Available from 3rd quarter 2015</p>
	<p>RK-1201</p>	<p>RUKRA GSM/PSTN Interface Incl. Back-up battery Incl. Magnet antenna Incl. 230V Poweradapter Automatic Battery test by SMS Automatic Periodic test by SMS Automatic 230V Power test by SMS Size: H*W*D = 130*100*36mm</p>






PANELS IN CABIN

Picture	Item no.	Article
	RK-1156	Carpnel, flush mount Pictogramms regarding NEN 81-28 Alarmbutton with braille Alarmbutton with Bell symbol, 2 x N.O. contact, with yellow LED's Incl. vandalproof M5 imbus screws Size: H*W*D = 200*145*2mm
	RK-1155	Carpnel, flush mount Pictogramms regarding NEN 81-28 Alarmbutton with braille Alarmbutton with Bell symbol, 2 x N.O. contact, with yellow LED's Incl. vandalproof M5 imbus screws Size: H*W*D = 300*150*2mm
	RK-1154	Carpnel, flush mount Pictogramms regarding NEN 81-28 Alarmbutton with braille Alarmbutton with Bell symbol, 2 x N.O. contact, with yellow LED's Incl. vandalproof M5 imbus screws Size: H*W*D = 400*175*2mm
	RK-1152	Carpnel surface mount For complete covering RK-2000 Pictogramms regarding NEN 81-28 Alarmbutton with braille Alarmbutton with Bell symbol, 2 x N.O. contact, with yellow LED's Size: H*W*D = 220*111*30mm
	RK-1150	Panel with Key, flush mount Pictogramms NEN 81-70 2 x Contact COM/N.O./N.C. Incl. vandalproof M5 imbus screws Size: H*W*D = 120*110*32mm

ACCESSOIRES

Picture	Item no.	Article
	RK-2006	Alarmbutton On & Below Cabin Impact resistant plastic Incl. plug&play cables and splitter to easy connect the buttons on and below the Cabin Incl. Speaker and Mic Size: H*W*D = 100*77*25mm
	RK-2010	Mini Speak module COP Incl. microphone, speaker, Yellow and green LED Incl. 3m. connecting cable Size: Speaker Ø 50mm Size: H*W*D = 29*56*11mm
	RK-2020	Intercom machineroom Necessary from 30M high or when you can not see the cabin 12VDC required Excl. phone Excl. 12V adapter Size: H*W*D = 35*70*50mm
	RK-2022	RUKRA Telephonenumber Switch Incl. programming cable You also need cable RK-2018 for programming 12VDC required Size: H*W*D = 21*99*66mm
	RK-1510	Talker module (4 channels) Message 1 = Into elevator cabin Message 2 = Location message Message 3 = End of speech time Message 4 = Address elevator No extra power required!! Size: H*W*D = 55*32*3mm






ACCESSOIRES

Picture	Item no.	Article
	<p>RK-2019</p>	<p>Inductive Loop Amplifier Incl. Spiral Loop 12VDC required Excl. 12V adapter</p> <p>Size: H*W*D = 125x70x45mm</p>
	<p>RK-2007</p>	<p>Monitoring module With this module you count the starts and give the elevator a selftest or use the input's to control the elevatorcontroller This module must always connect to the RUKRA phone</p> <p>Size: H*W*D =</p>
	<p>RK-5004</p>	<p>Emergency power supply 12VDC 1 output for emergencylight 1 Output for 12VDC constant Power 230VAC Incl.230V connectorcable Incl. battery 12V/1,3Ah Max. 1A -constant 0,2A</p> <p>Size: H*W*D = 65*195*90mm</p>
	<p>RK-4005</p>	<p>Piezo Sirene Power 6-12VDC</p> <p>Size: Ø = 55 * 52mm</p>
	<p>RK-5022</p>	<p>Powersupply 12VDC/1A 230V:12VDC / 1A</p> <p>Size: H*W*D =</p>




ACCESSOIRES






Picture	Item no.	Article
	RK-4000	Relais 12-24 VDC Output: 2 x COM/NC/NO contact 2A Size: H*W*D = 34*30*16mm
	RK-4002	Relais 5-8 VDC Output: 2 x COM/NC/NO contact 2A Size: H*W*D = 34*30*16mm
 <p style="text-align: center;">Z M</p>	RK-1600	Universal elevator intercom 2-Wire system 12VDC required in machineroom Speakmodule in Cabin Excl. 12V adapter Size M: H*W*D = 95*230*62mm Size Z: H*W*D = 120*67*25mm
 <p style="text-align: center;">F M</p>	RK-1610	Universal elevator intercom 2-Wire system 12VDC required in machineroom Speakmodule on Cabin Excl. 12V adapter Size M: H*W*D = 95*230*62mm Size F: H*W*D = 100*77*25mm
		More Panels If you need panels with other sizes, pictogramms, button's or your own LOGO please ask us for the possibilities, everything is possible.


ACCESSOIRES

Picture	Item no.	Article
	RK-1203	GSM Antenna extra strong Wall mount outdoor antenna 2dBi, 900/1800/1900/2100mHz, 5m RG58 cable with fixation mounts SMA(m) Cable lenght: 5m RG58 Size: L= 380mm
	RK-2021	PSTN phone For programming and option for machineroom- intercom and RUKRA Line Switch
	RK-2013	Microphone Electret, 2.2 Kohms, 45-55 dB Cable lenght: 300cm
	RK-2014	Microphone Electret, 2.2 Kohms, 45-55 dB Cable lenght: 20cm
	RK-2015	Installation box Special made for installation the RUKRA elevatorphone on the roof of the cabin, with holes for speaker and microphone Size: H*W*D = 120*120*40mm

ACCESSOIRES

Picture	Item no.	Article
	<p>RK-5008</p>	<p>Accu 12V/1,3Ah</p> <p>Size: H*W*D = 97*52*43mm</p>
	<p>RK-2306</p>	<p>Schindler adapter cable Connect the Schindler speaker and Microphone to the RUKRA Elevator Phone</p> <p>L cable = 200mm</p>
	<p>RK-1007</p>	<p>Alarmbutton 1 x N.O.</p> <p>L cable = 4 meter</p>

Picture	Item no.	Article
	RK-7610	RUKRA Elevator UTP cable (Cat5) With strain relief ETHERLINE FD P CAT5e 4 X 2 X AWG26 All Weather, UV and oil resist Maximum distance: 100 meters Size outside: $\varnothing = 10,5\text{mm}$
	RK-7612	RUKRA Elevator UTP cable (Cat6) With strain relief ETHERLINE FD P CAT5e 4 X 2 X AWG26 All Weather, UV and oil resist Maximum distance: 100 meters Size outside: $\varnothing = 10,5\text{mm}$
	RK-7611	RUKRA Elevator cable With strain relief PVC C (2x0,34) + 2 x (2x0,34) All Weather, UV and oil resist Maximum distance: 100 meters Size outside: $\varnothing = 11\text{mm}$
	RK-7702	Cable clamp for round cable Round cable minimal $\varnothing 6\text{mm}$ Round cable maximal $\varnothing 24\text{mm}$ Size: H*W*D = 100*70*42mm
	RK-7703	Cable clamp for flat cable Flat cable maximal W= 60mm Size: H*W*D = 100*70*42mm

Picture	Item no.	Article
 A white, rectangular LED light fixture with a sensor on the bottom right. A line points from the sensor to the word 'sensor' below it.	RK-3030	RUKRA LED with sensor 1M delay Light 100%: 2400Lm /30W Light 20%: 500Lm /7W With emergencylight (3Hours) Lifetime 80.000 Hours Mainpower: 115-230VAC Size inside: H*W*D = 620x220x50 Outside: H*W*D = 660x260x65




--	--	--


--	--	--


--	--	--

--	--	--


PROGRAMMING TOOLS

Picture	Item no.	Article
	<p>RK-2025</p>	<p>RUKRA Smart programmer Easy hand terminal for programming and testing the RUKRA elevator Phone Including 230V adapter Including PSTN phone</p>
	<p>RK-2018</p>	<p>USB programming cable for RUKRA Elevatorphone Software at WWW.RUKRA.EU</p>
	<p>RK-2018-2</p>	<p>USB programming cable for RUKRA Talker-4 and RUKRA Elevatorphone Software at WWW.RUKRA.EU</p>
	<p>RK-2038</p>	<p>USB-Interface programming cable for RUKRA GSM/PSTN interface Software at WWW.RUKRA.EU</p>
	<p>RK-1301</p>	<p>Blackbox modem for remote programming Connect the Blackbox to your computer with standard USB-cable Use programm Elevatorsetting Incl. USB cable and Adapter Software at WWW.RUKRA.EU</p>





Picture	Item no.	Article
	<p>RK-1310</p>	<p>RUKRA Elevator setting programm</p> <p>For programming: RUKRA Elevator Phone RUKRA Monitoring module RUKRA Telephone line Switch RUKRA Talker module Software at WWW.RUKRA.EU</p>

	<p>RK-1311</p>	<p>RUKRA GG-SET programm</p> <p>For programming: RUKRA GSM/PSTN interface Software at WWW.RUKRA.EU</p>
---	-----------------------	---






SPARE PARTS

Picture	Item no.	Article
	<p>RK-1060</p>	<p>Doublesided tape for RK-2000 Industrial doublesided tape</p> <p>Size: H*W*D = 100*90*8mm</p>
	<p>RK-1061</p>	<p>Doublesided tape for RK-2006 Industrial doublesided tape</p> <p>Size: H*W*D = 98*73*2mm</p>
	<p>RK-1062</p>	<p>Doublesided tape for RK-1201 Industrial doublesided tape</p> <p>Size: H*W*D = 80*80*2mm</p>
	<p>RK-1063</p>	<p>Doublesided tape for Battery Industrial doublesided tape</p> <p>Size: H*W*D = 50*60*2mm</p>
	<p>RK-1064</p>	<p>Doublesided tape for Speaker Industrial doublesided tape</p> <p>Size: \varnothing = 55*2mm</p>






SPARE PARTS

Picture	Item no.	Article
	RK-1065	Doublesided tape for Mic. Industrial doublesided tape Size: $\varnothing = 12*2\text{mm}$
	RK-1066	Double sided foamtape Industrial doublesided tape Ideal to fit electronic print's Size: 26 x H*W*D = 38*14*6mm Total Size: H*W*D = 76*170*6mm
	RK-2300	Alarmbutton 1 x N.O. ,red Led's Telephone symbol Incl. Cable Size: H*W*D = 40,5*55,5*15mm
	RK-2302	Alarmbutton 2 x N.O. and Yellow Led's Alarmbell symbol Incl. Cable Size: H*W*D = 40,5*55,5*15mm





SPARE PARTS

Picture	Item no.	Article
	<p>RK-5010</p>	<p>Back-up battery 9,6V / 800mAh for RK-1201</p> <p>Inclusive micro-electronics</p>
	<p>RK-1202</p>	<p>Regular GSM antenne</p> <p>With magnet food SMA connector</p> <p>Size Cable: L = 3m Size: L = 200mm</p>
	<p>RK-5023</p>	<p>Power Adapter 230VAC : 9VAC</p> <p>Special for RK-1201 (RUKRA GSM/PSTN interface)</p>
	<p>RK-1070</p>	<p>2-wire phone cord 1 x RJ-12 6/2</p> <p>L = 3 meter</p>
	<p>RK-1071</p>	<p>6-wire cord 2 x RJ-12 6/6</p> <p>L = 0,5 meter</p>

SPARE PARTS

Picture	Item no.	Article
	<p>RK-1072</p>	<p>6-wire cord 2 x RJ-12 6/6</p> <p>L = 2 meter</p>
	<p>RK-1073</p>	<p>6-wire cord 2 x RJ-12 6/6</p> <p>L = 4 meter</p>
	<p>RK-1074</p>	<p>Splitter 3 x RJ-12 6/6 parallel</p>
	<p>RK-1078</p>	<p>RJ-45 Cable 8/8 (RED)</p> <p>Size: L = 0.5 meter</p>
	<p>RK-1075</p>	<p>RJ-45 Cable 8/8 (RED)</p> <p>Size: L = 3 meter</p>




SPARE PARTS

Picture	Item no.	Article
	<p>RK-1076</p>	<p>RJ-45 Cable 8/8 (RED)</p> <p>Size: L = 5 meter</p>
	<p>RK-1012</p>	<p>RJ-12 modulair connector Bag of 10 pieces</p>
	<p>RK-1045</p>	<p>RJ-45 modulair connector Bag of 10 pieces</p>
	<p>RK-1050</p>	<p>6 Wires flatcable 100 Meter Make your own length connection cables</p>

SPARE PARTS

Picture	Item no.	Article
 <p>300mm Ø = 50mm</p>	<p>RK-1077</p>	<p>Speaker with cable</p> <p>Size: L=300mm, Ø = 50mm</p>
	<p>RK-1601</p>	<p>Master in machineroom For universal Intercom 12VDC required in machineroom Excl. 12V adapter 2-Wire System</p> <p>Size M: H*W*D = 95*230*62mm</p>
 <p>F</p>	<p>RK-1602</p>	<p>Speakmodule on Cabin For universal Intercom 2-Wire System</p> <p>Size F: H*W*D = 100*77*25mm</p>
 <p>Z</p>	<p>RK-1603</p>	<p>Speakmodule in Cabin For universal Intercom 2-Wire System</p> <p>Size Z: H*W*D = 120*67*25mm</p>
 <p>X</p>	<p>RK-2009</p>	<p>Alarmbutton On or Below Cabin Impact resistant plastic Incl. Doublesided tape Incl. Speaker and Mic Excl. Cables</p> <p>Size: H*W*D = 100*77*25mm</p>

Hand tools

Picture	Item no.	Article
	<p>RK-1080</p>	<p>Professional modular crimping tool With cable cutter Type cables connectors: RJ-45 8/8 RJ-12 6/6 RJ-11 4/6 RJ-10 4/4</p>
	<p>RK-1081</p>	<p>Cable and Connector tester Type cables connectors: RJ-11, RJ-12 and RJ-45 USB COAX</p>
	<p>RK-1082</p>	<p>Imbus screwdriver 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm</p>

Picture	Item no.	Article
		<p>Receive E-mail or SMS fom every Alarmcall, Testcall, Technicall call or if a Servicecall is missed</p>
	<p>RK-1300</p>	<p>WEB-Based Call Center software Software (multi-language) Englisch Deutsch Francais Nederlands</p>
	<p>RK-1301</p>	<p>Blackbox PSTN modem For receiving: Service call Technicall call Error call Alarm call Incl. USB cable and Adapter</p>
	<p>RK-1302</p>	<p>GSM / GPRS Datamodem For receiving: Free servicecall (CLIP) Free alarm call (CLIP) SMS messages For sending: SMS messages Incl. Antenna, RS-cable, Adapter</p>
	<p>RK-1304</p>	<p>Server Complete server W7 with monitor, keyboard and mouse Excl. RK-1300 software</p>